

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	201	processing with horsepower	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:34
L2	301223	process\$8 with speed	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:35
L3	5987	32-bit with 16-bit	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:35
L4	21	3 same legacy	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:35
L5	2472	2 and 3	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:35
L6	82	1 and 2	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:36
L7	0	1 same 3	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:36
L8	228	2 same 3	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:36
L9	19	8 and legacy	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:43
L10	1	8 same legacy	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:37

## EAST Search History

L11	35174	address\$6 adj generat\$6	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:37
L12	2691	11 same adder	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:37
L13	221	12 same carry	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:38
L14	5	3 same 13	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:43
L15	5	14 and carry	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:43
L16	1	13 and (backward\$6 with compat\$8)	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:47
L17	29	13 and ((previous or older or former or old-of-date) with (application or program or code or instructions))	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:48
L18	29	17 and carry	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:48
L19	2	13 and legacy	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/09 17:49